

Rental Equipment - September 16, 2008

BOSCH Brute Breaker Hammer Kit



The Plug-In-Anywhere Hammer! Cart included for easy storage & transportation. 8" Diameter semi-pneumatic, ball bearing wheels. 4 Sockets. Operates on 115/120V AC/DC, 15 amp outlet or 2500 watt portable generator. 2-way tool retainer. Shock mounted handles. Includes: Breaker Hammer, 2 Moil Points, 2 Narrow Chisels, and Hammer Hauler Cart.

Item #	Description
REN-074	Rental Bosch Brute Breaker Hammer Kit 1 - 1/8" Hex Collar

Genie Aerial Platform



Portable Genie, Super Series aerial work platforms are simple for one person to set up in minutes. A durable, lightweight design and compact size make them ideal personnel lifts for rental, light-duty construction and maintenance.

Item #	Description
REN-064	Rental Aerial Work Platform 35' Working Height, 350 lb Capa



Airman 185 cfm Diesel Air Compressor

Rotary Twin Screw with Single Stage Fiber Gear Direct Coupling. Forced by Compressed Air. Inline Water-Cooled, 4-Stroke, High-Swirl with Tier 2 Compliant. 51 hp/49 hp, 24 gal tank.



Item #	Description
REN-061	Rental MMD Equipment Airman Tow Behind Air Compressor 120 psi.



Genie Contractor Lift

Designed specifically for the construction industry, these heavy-duty units can be operated by one person and can lift, lower and move loads up to 650 lbs (295 kg) to heights of up to 24 ft (7.32 m). Glide rails allow one person to easily load or unload the unit, as well as lift it in or out of a pickup truck.

Item #	Description
REN-062	Rental Contractor Material Lift 650 lb Capacity, 24' Lift



Genie Scissor Lift

The GS series is sturdy, offers narrow access capability, slide-out platform extension, quiet electric drives, rough terrain models, and working heights from 21 to 59 feet. 6.4 to 18 m.

Item #	Description
REN-065	Rental Self-Propelled Scissor Lift, 500 lbs Capacity, 19'

Allmand Portable Light Tower



28 ft (8.5 m) extended tower height. Four 1,000 watt metal halide lights. Each light comes with an individual circuit breaker switch for greater flexibility of power use. Horizontally mounted lamp assembly generates a more even distribution of light over job sites. Durable cast aluminum lamp fixtures with tempered glass lenses attached to hinged frames. Convenient bulb replacement accessibility. Tool-less, Quick Aim system features a rotational wheel and spring-latch engagement point for both horizontal and vertical adjustment of each lamp fixture.

Item #	Description
REN-58	Rental Night Light Pro-Lite Tower

Rental Equipment - September 16, 2008



Rental Gas Detector



Rental Scout air monitor from Scott. Easy, safe operation of 4 gas monitor with sensors that detect oxygen levels, carbon monoxide levels, hydrogen sulfide levels, and explosive levels. Internal pump system allows for accurate remote sampling. Unit comes complete with case, calibration materials, charger, alkaline battery pack and instruction manual.

Item #	Description
REN-005	Rental Scott Scout 4 Gas Meter Scout# 096-2561



Rental AC Axial Blower



Rental AC Axial blower with duct. Complete all-in-one ventilation system includes an 8" axial blower powered by an AC electric motor, 15' of ducting and a built in storage canister. 1/3 HP and 115 V. Plugs into a standard outlet. Allegro part number 9513 with 9500-15 duct.

Item #	Description
REN-006	Rental Allegro Blower, 1/3 HP with Ventilation Duct, 8" X 15'



Rental Venturi Blower



Rental Venturi blower from Allegro. Lightweight construction with carry handle, crow's foot connector, static ground clamp, multiple inlet ports and 15' statically conductive duct. Use when fumes that may be poisonous, explosive or hazardous from process towers, tanks, large pipes or confined space need to be removed. Help create a safe, healthy environment by removing welding fumes, hot air and smoke quickly and easily. The blower can be used in explosive atmospheres. Allegro part number 9518-06 with 9500-15EX duct.

Item #	Description
REN-018	Rental Allegro Medium Venturi Blower with 15' Stat. Cond. Duct



Rental AreaRAE IAQ Monitor



RAE Systems AreaRAE IAQ Indoor Air Quality Monitor. The AreaRAE IAQ is the only wireless equipped, indoor air quality monitor to combine a photoionization detector with traditional measures of IAQ like temperature, humidity, carbon dioxide and a user selected toxic gas sensor in one 1- to 5-sensor package. Continuous monitoring of total VOCs 0 to 500 ppm with 0.01 resolution with PID sensor, 24 hrs continuous operation with built in Li-Ion battery and optional GPS.

Item #	Description
REN-034	RAE Systems AreaRAE Indoor Air Quality Monitor

Mercury Air Dryer



Rotomolded polyethylene housing, resists impacts, strong and durable for professional use with a Powerful and efficient motor. High airflow per amp ratio, versatile operation up to 3500CFM. Recessed rotary three-position switch. Protected from impacts, user-friendly with simple graphics for selecting operating speeds. Large built-in cord wrap, quick, easy and safe storage of power cord. Non-skid rubber feet and no stand required, stable operation, absorbs vibration. Off-set rotomolded carrying handle distributes motor weight evenly, easier to grip and transport.

Item #	Description
REN-050	Mercury 3 Speed Air Mover Dryer (Rental)



Rental 7' Tripod with 120' Winch



Rental 7' tripod and 120' winch combo from CLC Falltech. Adjustable #7275 - 6' to 11' tripod features extruded aluminum legs, cast aluminum head and feet, stainless steel pulley and webbing strap. #7295 personnel winch features 120' of galvanized cable, swivel eye snap hook and mounting bracket.

Item #	Description
REN-012	Rental 7' Tripod and 120' Winch Combo with Equipment Bags

Rental Equipment - September 16, 2008



Rental 35 lb Breaker



Chicago Pneumatic 35 lb breaker. A demolition tool that is light weight yet rugged. Designed for light to medium construction and plant maintenance work such as demolition of floors, pavement, bridge maintenance, asphalt, frozen ground and masonry walls. Very popular for bridge deck jobs. Alloy steel forgings provide excellent durability. Four bolt backhead design withstands rugged use. Integral oiler provides continuous lubrication. Heavy duty front headsprings reduce reaction back to operator. 1 x 4 1/4 hex chuck.

Item #	Description
REN-066	Rental Chicago Pneumatic 35 lb Breaker 1 X 4 1/4 Hex Chuck
REN-067	Rental Chicago Pneumatic 60 lb Breaker 1 1/8 X 6" Hex Chuck
REN-068	Rental Chicago Pneumatic 90 lb Breaker 1 1/8 X 6" Hex Chuck

Pressure Washer



The SGP is Shark's answer to meet the industry's demand for versatility and portability in a hot water pressure washer. Mounted on an extra-durable 11/4-inch steel chassis and protected by a rugged steel roll cage. The SGP is easy to move in all terrain with its four 10-inch tubed pneumatic tires. The SGP also has a tri-plunger, oil-bath Legacy pump with an enviable 5-year warranty, and a cold-rolled hot water coil.

Item #	Description
REN-069	Rental Shark Hot Press. Washer 3000 psi, 3.5 gpm, 11 HP, Gas



The Cleanmaster is a 175 / 300 RPM dual speed floor machine with a motor mounted switch - Its two machines in one! Safety enhanced interlock switch allows both hands to be in control. The non-conductive dual triggers eliminate shock potential. D/C rectified motor eliminates voltage problems. The Cleanmaster has non-marking, retractable 6" wheels for easy transport. Motor plugs in at handle base for easy maintenance. The non-marking super-thick bumpers protect walls and baseboards.

Item #	Description
REN-070	Rental Mercury 300 RPM Floor Machine 19" 2 Speed (2 Boxes)

HONDA Deluxe Generator



5000 watts (41.7/20.8 A) 120/240V automatic regulated power. Powerful Honda commercial OHV engine. Operates 11.9 hours @ 50% load. 6.6 gal capacity. Voltage selector switch 120/240V operation.

Item #	Description
REN-071	Rental Honda 11 HP, 5000 Watt, 120 / 240 Volt Deluxe Generator



Tow Behind Generator

From stationary standby power sources to mobile construction applications, MQ Power's WhisperWatt portable generators will meet your most demanding requirements. With a standby output of 66kVA/53kW, the DCA-60SS12 is ideal for all portable, standby and studio applications. A 77-horsepower, 4-cycle, water-cooled Isuzu 6BG1 diesel engine drives the generator which surpasses all OSHA standards for low-noise operation.



Item #	Description
REN-060	Rental MQ Power DCA-60SSIT Tow Behind Generator



Rental Dehumidifier



Rental Drieaz DrizAir 1200 15 gal/day refrigerant dehumidifier. Features include, removes up to 15 gallons a day, convenient size, hot-gas bypass for fast defrost, rugged rotomolded housing, electronic touch-pad controls, rigid handle designed for stacking, semi-pneumatic wheels for easy transport and a built-in ring for attachment of ducting.

Item #	Description
REN-027	Rental Drieaz DrizAir 1200 Refrigerant Dehumidifier



Rol-Air Belt Drive Air Compressor



Rol-Air gas-powered belt drive air compressor with an 8 HP Honda 4 cycle engine. Motor has overhead valves, complete aluminum alloy with cast-iron sleeve, On/Off switch, retractable starter, low oil shutdown. Two stage pump with ball bearings, Embloc cast-iron cylinders, automotive-style bearing inserts on connecting rods. Runs approximately 7-10 Framing/Sheathing Guns, 9-12 Roofing Guns.

Item #	Description
REN-072	Rental Rol-Air 8 HP, Honda Eng, 19.2 cfm, 9 Gal, Compressor



Rental Water Pump



Rental Honda 5.5 HP water pump with 10' intake and 50' discharge hoses. Features include, 5.5 hp Honda GX160 four-stroke, OHV, air cooled, singular cylinder. 80 mm (3") suction and discharge ports, oil alert standard. Full frame, rubber mounted engine and pump, intake and discharge hoses included. This is not a trash pump.

Item #	Description
REN-031	Rental Honda 5.5 HP Water Pump with Intake and Discharge Hose

Rental Equipment - September 16, 2008

PULLMAN-HOLT Magnet Spray



Magnet Spray produces a highly charged, high-speed air stream that applies chemicals up to 70 times more efficiently than conventional sprayers. A revolutionary patented nozzle design uses compressed air and advanced solid-state circuitry to produce a 12 foot plume consisting of very small, like size, electrically charged droplets. This perfect cloud of evenly spaced droplets is attracted to targeted areas like a magnet, wrapping around the tops, sides and bottoms of surfaces to provide a superior, uniform coating. This remarkable phenomenon is called electrostatic "wraparound".

Item #	Description
REN-46	Pullman-Holt Magnet Spray

PULLMAN-HOLT Backpack Vacuum



Worn as a backpack. This lightweight, portable vacuum is ideal for commercial buildings, schools, healthcare facilities, and for commercial residential cleaning. This powerful vacuum travels easily with you as you clean up and down congested areas, aisles and stairs. The PorterVac comes equipped with a full assortment of tools and accessories to meet a wide variety of cleaning applications.

EDCO Air Powered Chisel Scaler	
	Chisel scalers have many uses. These pneumatic tools can be used to remove tile, coatings, roofs, and so much more. This scaler can be fitted with attachments such as a 1 inch to 4 inch chisel, compaction plate, or scrapper blade up to 10 inches wide.

Item #	Description
REN-C10309A	Edco ALR-2A Aluminum Air Powered Chisel Scaler 24"

EDCO Air Powered Chisel Scaler	
	Chisel Scalers are air-powered hand tools that use a rapid, hammering action to increase production on jobs that would ordinarily require manual scrapers. Various accessories are available for Chisel Scalers, enabling contractors to easily remove tile, grout, ice, fiberglass, concrete, asphalt, roofing shingles or hardened deposits. Minimum air is needed for operation.

Item #	Description
REN-C10342	Edco ALR-5 Ergo Air Powered Chisel Scaler, 66"

DIVAL Safety & Supplies for Life Rental PD Escape Respirator



Rental full face pressure demand respirator with egress bottle from Scott Health and Safety. Respirator includes full face piece, harness, 5 minute egress bottle, Schrader fitting and 100' of airline hose with fittings.

Item #	Description
REN-019	Rental Full Face Respirator, PD with 5 Min Egress, 100' Hose

DIVAL Safety & Supplies for Life Rental SCBA



Rental 45 minute SCBA from Scott. Complete SCBA packed in hard carrying case. Unit includes 2002 NFPA approved Air-Pak 50 edition back frame, regulator, 4500 psi 45 minute duration cylinder and AV-2000 face piece.

Item #	Description
REN-015	Rental Scott AP50 SCBA with 45 Min Cylinder

DIVAL Safety & Supplies for Life Rental Air Cylinder



Provide grade E breathing air for pressure demand respirators on site through our rental program. Up to 4 cylinders can be cascaded together. Rent the REN-CCS regulator separately. An extra delivery charge applies to this item.

Item #	Description
REN-56	Rental 2400 psi Cascade Style Cylinder, Grade E Breathing Air



To view, purchase or pick up products like these and more, come to the DiVal Safety Outlet!
We're located at 1701 Niagara St., Buffalo, NY (Between Amherst St. & Tonawanda St.)

Open Monday thru Friday (7am - 5pm) & Saturday (8am - 12pm)

Phone 716.874.9060 • Toll Free 800.343.1354 • Fax 716.874.4686 • DiValSafety.com